

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) A container for dispensing product in sheet form comprising:
 - (i) said product in sheet form which will be dispensed wherein said product in sheet form comprises a substrate that releasably carries a composition of matter; and
 - (ii) a dispensing aperture for product in sheet form, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form in a non-downwards direction.
2. (Previously Presented) The container according to Claim 1 wherein substrate is continuous and is divided by a plurality of multiple lines of frangibility running at predetermined intervals substantially transversely to the major axis of the web and defining a plurality of individual wipes.
3. (Previously Presented) The container according to Claim 1 wherein substrate forms a plurality of discrete individual wipes which are interleaved.
4. (Original) The container according to Claim 1 wherein both of said lateral edges comprise rotatable rollers.
5. (Previously Presented) The container according to Claim 1 wherein said lateral edges comprise a material, wherein said material is selected from the group consisting of plastic, metal, composite materials and combinations thereof.

6. (Previously Presented) The container according to Claim 1 wherein both of said lateral edges comprise a rotatable roller said rotatable roller comprising a metal core surrounded by a plastic coating which contacts product in sheet form.
7. (Previously Presented) A container for dispensing a product in sheet form, said container comprising:
 - (a) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing;
 - (b) a dispensing aperture in one of said walls, said aperture leading from said inner cavity to the environment external to said container, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form; and
 - (c) a product in sheet form comprising a substrate that releasably carries a composition of matter.
8. (Original) The container according to Claim 7 wherein both of said lateral edges comprise rotatable rollers.
9. (Original) The container according to Claim 7 wherein said container is either rigid or semi-rigid.
10. (Original) The container according to Claim 7 wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved.
11. (Original) The container according to Claim 7 further comprising:
 - (c) a closure, said closure being in association with one of said walls, said closure sealingly covering said aperture and said lateral edges when in the closed position.

12. (Original) The container according to Claim 11 wherein said closure (c) is either a lid or a resealable label.
13. (Original) The container according to Claim 7 further comprising:
 - (d) a motor connected to said rotatable roller; and
 - (e) optionally, a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form.
14. (Original) The container according to Claim 13 wherein said sensor is selected from the group consisting of light sensors, motion sensors, sound sensors, proximity sensors, travel sensors, rotation sensors, translation sensors, and combinations thereof.
15. (Previously Presented) A container for dispensing a product in sheet form, said container comprising:
 - (A) walls, said walls defining an inner cavity of said container for storing said product in sheet form prior to dispensing and one of said walls is a deck panel which includes a sealing section;
 - (B) a dispensing aperture in said sealing section, said aperture having opposing lateral edges, at least one of said lateral edges comprising a rotatable roller, said lateral edges providing a nip passage for controllably dispensing said product in sheet form;
 - (C) a lid hingedly in association with one of said walls, said lid being closably overlying said sealing section; and
 - (D) a product in sheet form comprising a substrate that releasably carries a composition of matter.
16. (Original) The container according to Claim 15 wherein said container body is rigid.

Appl. No. 10/758,065
Docket No. 9149Q
Amdt. dated April 9, 2008
Reply to Office Action mailed on October 9, 2007
Customer No. 27752

17. (Original) The container according to Claim 15 wherein said product in sheet form is a plurality of discrete individual wipes which are interleaved.
18. (Original) The container according to Claim 15 wherein both of said lateral edges comprises rotatable rollers.
19. (Original) The container according to Claim 18 wherein said wherein said rotatable rollers comprise a metal core surrounded by a plastic coating which contacts said product in sheet form.
20. (Previously Presented) The container according to Claim 15 further comprising:
 - (E) a motor connected to said rotatable rotor; and
 - (F) a sensor connected to said motor, which upon activation of said sensor, said sensor activates said motor sufficient to turn said rotatable roller to dispense a predetermined quantity of said product in sheet form.